



FEEDING APPROACH

Sequential - Oral - Sensory

WHO MIGHT BENEFIT FROM THIS TYPE OF FEEDING THERAPY?

- Children 18 months - 8 years old
- Food range is less than 20 foods
- Poor weight gain or weight loss
- History of a traumatic choking incident
- Family is discouraged about mealtimes
- Avoiding all foods in specific textures/groups
- Ongoing choking, gagging, and coughing during meals
- Reporting the child as being "picky" at 2 or more well-child checks



**Talk to your provider to see
if SOS Feeding Therapy
is right for your child!**

☎ 712.542.8224



Abbey Orme, MOT, OTR/L
OCCUPATIONAL THERAPIST

Gracie Brown, M.S., CF - SLP
SPEECH LANGUAGE PATHOLOGIST



FEEDING APPROACH

Sequential - Oral - Sensory

WHO MIGHT BENEFIT FROM THIS TYPE OF FEEDING THERAPY?

- Children 18 months - 8 years old
- Food range is less than 20 foods
- Poor weight gain or weight loss
- History of a traumatic choking incident
- Family is discouraged about mealtimes
- Avoiding all foods in specific textures/groups
- Ongoing choking, gagging, and coughing during meals
- Reporting the child as being "picky" at 2 or more well-child checks



**Talk to your provider to see
if SOS Feeding Therapy
is right for your child!**

☎ 712.542.8224



Abbey Orme, MOT, OTR/L
OCCUPATIONAL THERAPIST

Gracie Brown, M.S., CF - SLP
SPEECH LANGUAGE PATHOLOGIST

