

MCUP3041 - Attachment A MCUP3049 - Attachment A MCUG3007 - Attachment B Revised 11/08/2023

- A. <u>Acupuncture</u> (see policy MCUG3002 Acupuncture Service Guidelines)

  A RAF is required for the first visit, and then members are limited to 2 visits per month. A TAR is required if services exceed two visits per month.
- B. <u>Allergy Injections</u> A TAR is required when services exceed Medi-Cal frequency limit of eight (8) allergy injections in any 120-day period for code 95115 or four (4) allergy injections in any 120-day period for code 95117. (For codes 95115 and/or 95117 in any combination, a maximum of eight (8) allergy injections in any 120-day period is reimbursable to any provider for the same recipient without authorization.)
- C. <u>Cardiac Rehabilitation</u> Phase II and pediatric (see policy MCUP3128 Cardiac Rehabilitation)
- D. <u>Chiropractic Services</u> (see policy MCUG3010 Chiropractic Services)

  A RAF is required for the first visit, and then members are limited to 2 visits per month. A TAR is required if services exceed two visits per month.
- E. <u>Community Health Worker (CHW) Services</u> (see policy MCCP2033 Community Health Worker (CHW) Services Benefit) PHC does not require prior authorization for CHW services as preventive care for the first 12 units. A TAR is required for Members who need multiple CHW services or continued CHW services in excess of 12 units.
- F. <u>Community Supports</u> A TAR is required for all members receiving a Community Supports service. [see policies MCUP3142 CalAIM Community Supports (CS) and MCUP3143 CalAIM Service Authorization Process for Enhanced Care Management (ECM) and/or Community Supports (CS)]
- G. **Dental Anesthesia** (see policy MPUP3048 Dental Services (including Dental Anesthesia)
- H. <u>Diagnostic Studies</u>
  - 1. CT Scans
  - 2. MRI
  - 3. Cardiac MRI 75561 only (effective 08/01/2017)
  - 4. MRA
  - 5. MSI
  - 6. MEG
  - 7. PET scan [see policy MPUP3116 Positron Emission Tomography Scans (PET Scans)]
  - 8. Transcranial Doppler
  - 9. Sleep Studies / Polysomnography: Facility based sleep studies/polysomnography always require a TAR. Home based studies/polysomnography require a TAR when more than 1 per year is requested. (see policy MCUG3110 Evaluation and Management of Obstructive Sleep Apnea in Adults (Medi-Cal)
  - 10. Non-specific radiology codes for X-rays and ultrasound including 76497, 76380, 76506
- I. <u>Doula Services</u> (see policy MCNP9006 Doula Services Benefit)
  - A TAR is required for additional visits (beyond eight) during the postpartum period
- J. **Durable Medical Equipment (DME) Supplies** (see policy MCUP3013 DME Authorization)
  - Cumulative costs for repair/maintenance or purchase exceeds \$250 / item (see policy MCUG3032 Orthotic and Prosthetic Appliances Guidelines)
  - 2. <u>Prosthetics</u> Cumulative costs for repair / maintenance or purchase exceeds \$500 / item (see policy MCUG3032 Orthotic and Prosthetic Appliances Guidelines). Also any unlisted / miscellaneous code and any custom made item that does not have a Medi-Cal rate (byreport or by-invoice)
  - 3. Hearing Aids and Cochlear Implant Replacement Supplies (see policy MCUG3019 Hearing Aid



MCUP3041 - Attachment A MCUP3049 - Attachment A MCUG3007 - Attachment B Revised 11/08/2023

[Treatment Authorization Request (TAR) to be submitted by the provider performing these services]

*Guidelines*)

- 4. Repairs or maintenance over \$250.00 / item (Out of guarantee repairs are to be guaranteed for at LEAST three (3) months from the date of repair. Reimbursement will NOT be allowed for parts or labor during a guarantee period if due to a defect in material or workmanship)
- 5. Oxygen and related supplies
- 6. <u>Positive Airway Pressure (PAP) devices</u> No TAR is required for PAP supplies for a PAP machine owned by the member (as per Medi-Cal guidelines for ordering/quantity limits).
- 7. Purchase items when the cumulative cost of items within a group exceeds \$100.00 within the calendar month. Providers may refer to the *Durable Medical Equipment (DME): Billing Codes and Reimbursement Rates* section in the Medi-Cal manual to determine if items are related within a group. Items grouped together under specific headings, such as "Hospital Beds" or "Bathroom Equipment," are considered within the same group. (Vendor to guarantee for a MINIMUM of six (6) months from the date of purchase)
- 8. Rental items when the cumulative cost of rental for items within the group exceeds \$50.00 within a 15-month period. This includes any daily amount that an individual item, or a combination of a similar group of DME items, exceeds the \$50 threshold. The 15-month period begins on the date the first item is rented. (Rental rate includes equipment related supplies.)
- 9. Purchase of any wheelchairs for Medi-Medi members
- 10. <u>Purchase of knee scooters with appropriate criteria met</u>. Invoice is required and maximum payable benefit amount is \$200. (*see policy MCUP3013 DME Authorization*)
- 9. <u>Incontinence Supplies (see policy MCUG3022 Incontinence Guidelines)</u>
  - a. Note that codes A4335 for skin wash and A4665 for skin cream for members with incontinence do not require a TAR unless claim quantity exceeds normal frequency limits. However, providers are encouraged to include these items on the incontinence supply TAR as the authorization will be good for one year and the provider will be able to submit claims electronically without attaching the prescription each month. If these items are not included on the incontinence supply TAR, then the provider must submit a paper claim and attach a prescription form with each submission.
- K. <u>Enhanced Care Management (ECM)</u> A TAR is required for all members receiving the ECM Benefit. [see policies MCCP2032 CalAIM Enhanced Care Management (ECM) and MCUP3143 CalAIM Service Authorization Process for Enhanced Care Management (ECM) and/or Community Supports (CS)]
- L. <u>EPSDT</u> (Early and Periodic Screening, Diagnosis and Treatment) Supplemental Services (see policy MCCP2022 Early and Periodic Screening, Diagnosis and Treatment (EPSDT) Services)
- M. <u>Fecal Microbiota Transplant (FMT)</u> A TAR is required for all procedures related to fecal microbiota transplant. (*see policy MCUP3136 Fecal Microbiota Transplant*)
- N. <u>Gender Dysphoria</u> A TAR is required for all procedures related to gender dysphoria. (*see policy MCUP3125 Gender Dysphoria/ Surgical Treatment*)
- O. <u>Genetic Testing and Screening</u> A TAR is required for certain genetic testing and screening as outlined in Attachment A of policy *MCUP3131 Genetic Screening and Diagnostics*
- P. Home Health Care (see policy MCUG3011 Criteria for Home Health Services)
- Q. Home Infusion Therapy
- R. **Hysterectomy**



MCUP3041 - Attachment A MCUP3049 - Attachment A MCUG3007 - Attachment B Revised 11/08/2023

[Treatment Authorization Request (TAR) to be submitted by the provider performing these services]

S. <u>Hospice Care (Inpatient Only)</u> (see policy MCUP3020 Hospice Service Guidelines)

#### T. Hospitalization

- 1. The hospital must notify PHC of any admission within 24 hours of the admission.
- 2. Authorization for elective admission must be requested by the admitting physician prior to the admission.

#### U. Hyperbaric Oxygen Pressurization

#### V. Long Term Care

The LTC facilities must notify PHC of any admissions, transfer, bed hold/leave of absence, or change in payor status within one working day. (Examples include Medicare non-coverage or exhaustion of benefits/ hospice election.) See policy MCUG3038 Review Guidelines for Member Placement in Long Term Care (LTC) Facilities.

#### W. Medical Supplies\*

- 1. <u>Nebulizers</u> When the billed price including tax is \$200 or more (*see policy MPUG3031 Nebulizer Guidelines*)
- 2. Ostomy Supplies (Note: NU modifier may not be used for "disposable" ostomy supplies)
- 3. <u>Urological Supplies</u> (Note: NU modifier may not be used for "disposable" urological supplies)
- 4. <u>Tracheostomy Supplies</u>
- 5. Wound Care Supplies [see policy MPUP3059 Negative Pressure Wound Therapy (NPWT) Device/Pump]
- 6. Nutritional Supplements (see policy MCUP3052 Medical Nutrition Services) Physician administered nutritional supplements require a TAR to be submitted to PHC when the item is billed to PHC's medical benefit and is not on PHC's Covered Medical Drug list, or when the PHC Covered Medical Drug List indicates a prior authorization is required. Nutritional supplements provided by a Pharmacy must be submitted through Medi-Cal Rx TAR processes\* when not on the Medi-Cal Rx Contract Drugs List (CDL). Enteral formulas require a Medi-Cal Rx TAR when provided by a pharmacy.
- \*Note: Effective January 1, 2022, with the implementation of Medi-Cal Rx, the pharmacy benefit is carved-out to Medi-Cal Fee-For-Service as described in <u>APL 22-012 Revised</u>. TARs will be operationally denied if submitted to PHC for supplies which are carved out from managed care reimbursement and are only provided through Medi-Cal Rx as Pharmacy claims. See <u>Medi-Cal Rx Provider Manual</u> for covered medical supplies and limits. Supplies that can only be billed to Medi-Cal Rx include Insulin Syringes, Pen needles, Lancets, Diabetic Test Strips, Peak Flow Meters, and Inhaler Assistive Devices.
- X. Medications Provided by a Pharmacy: Effective January 1, 2022 with the implementation of Medi-Cal Rx, the pharmacy benefit is carved-out to Medi-Cal Fee-For-Service as described in APL 22-012 Revised and all medications (Rx and OTC) which are provided by a pharmacy must be billed to State Medi-Cal/Magellan instead of PHC.
- Y. Medications Administered in a Medical Setting, and Billed as a Medical Claim [Physician Administered Drugs (PADs) given in an outpatient clinic, office, dialysis center, hospital]:

  PHC requires a TAR for certain prescription drugs, over-the-counter drugs and injectable drugs (including drugs compounded for IV infusion therapy) as outlined in policy MCRP4068 Medical Benefit Medication TAR Policy.
- Z. <u>Non-Emergency Medical Transportation:</u> [see policy MCCP2016 Transportation Guidelines for Non-Emergency Medical (NEMT) and Non-Medical Transportation (NMT)]
- AA. <u>Occupational Therapy</u> (see policy MCUP3114 Physical, Occupational and Speech Therapies) PHC members can be referred by a licensed clinician for one consultation visit through a physician order. PHC's



MCUP3041 - Attachment A MCUP3049 - Attachment A MCUG3007 - Attachment B Revised 11/08/2023

[Treatment Authorization Request (TAR) to be submitted by the provider performing these services]

referral authorization system need not be used. Following the initial evaluation, the service provider must submit a TAR for the requested services.

- BB. <u>Outpatient Hemo / Peritoneal Dialysis</u> Initial authorization will be limited to 90 days and a lifetime authorization may be granted with annual certification, only after submission of Medicare determination.)
- CC. Outpatient Surgical Procedures see CPTs Requiring TAR list (page 5)
- DD. <u>Pain Management</u> see <u>Pain Management CPTs Requiring TAR</u> list (page 8) and policy *MCUP3049 Pain Management Specialty Services*
- EE. **Phototherapy** for dermatological condition
- FF. Physical Therapy (see policy MCUP3114 Physical, Occupational and Speech Therapies) PHC members can be referred by a licensed clinician for one consultation visit through a physician order. PHC's referral authorization system need not be used. Following the initial evaluation, the service provider must submit a TAR for the requested services.
- GG. <u>Pulmonary Rehabilitation</u> (see policy MCUP3111 Pulmonary Rehabilitation)
- HH. <u>Speech Therapy</u> (see policy MCUP3114 Physical, Occupational and Speech Therapies) PHC members can be referred by a licensed clinician for one consultation visit through a physician order. PHC's referral authorization system need not be used. Following the initial evaluation, the service provider must submit a TAR for the requested services.
- II. <u>Transplants</u> (see policy MCUP3104 Transplant Authorization Process)
- JJ. ANY UNLISTED OR MISCELLANEOUS CODE



MCUP3041 - Attachment A MCUP3049 - Attachment A MCUG3007 - Attachment B Revised 11/08/2023

<b>HCPCS Codes</b>	Description
P9020	Platelet rich plasma unit
V2531	Contact Lens, Scleral, Gas Permeable, Per Lens
C9757	Spine/Lumbar Surgery

CPT Code	gical Procedures CPTs Requiring TAR  Description
	Description
10040	Acne Surgery
15769	Graft of Autologous Soft Tissue, Other, Direct Excision
15771	Graft of Autologous Fat Harvested by Liposuction; 50cc or less injectate
15772	Graft of Autologous Fat Harvested by Liposuction; each additional 50cc
15773	Graft of Autologous Fat Harvested by Liposuction; 25cc or less injectate
15774	Graft of Autologous Fat Harvested by Liposuction; each additional 25cc
15788 Thru 15793	Chemical Peel, Facial Et Al
15820 Thru 15823	Revision Of Lower Or Upper Eyelid
15845	Skin And Muscle Repair, Face
17360	Skin Peel Therapy
17999	Skin Tissue Procedure
19300	Mastectomy For Gynecomastia
19316	Mastopexy
19318	Reduction Mammoplasty
19324/25	Breast Augment; W/O Prosthetic Implant
19499	Correction Of Inverted Nipples
19380	Revise Breast Reconstruction
19396	Design Custom Breast Implant
19499	Unlisted Procedure, Breast
20999	Musculoskeletal Surgery
21208	Augmentation Of Facial Bones
22899	Spine Surgery Procedure
22999	Abdomen Surgery Procedure
28291, 28296, 28292, 28899	Correction Of Bunion
28300 Thru 28345	Osteotomy / Repair / Reconstruction
30400, 30410, 30420, 30430, 30435, 30450, 30460, 30465, 30468, 30520	Reconstruct Of Nose
30520	Repair Nasal Septum
32999	Chest Surgery Procedure
36299	Vessel Injection Procedure



MCUP3041 - Attachment A MCUP3049 - Attachment A MCUG3007 - Attachment B Revised 11/08/2023

CPT Code	Description
36522	Photopheresis, extracorporeal
37700	Ligation And Division Of Long Saphenous Vein At Saphenofemoral Junction, Or Distal Interruptions
37718	Ligation, Division, And Stripping, Short Saphenous Vein
37722	Ligation, Division, And Stripping, Long (Greater) Saphenous Veins From Saphenofemoral Junction To Knee Or Below
37735	Ligation And Division And Complete Stripping Of Long Or Short Saphenous Veins With Radical Excision Of Ulcer And Skin Graft And/or Interruption Of Communicating Veins Of Lower Leg, With Excision Of Deep Fascia
37760	Ligation Of Perforator Veins, Subfascial, Radical (Linton Type) Including Skin Graft, When Performed, Open, 1 Leg
37761	Ligation Of Perforator Vein(S), Subfascial, Open, Including Ultrasound Guidance, When Performed, 1 Leg
37765	Stab Phlebectomy Of Varicose Veins, 1 Extremity; 10-20 Stab Incisions
37766	More Than 20 Incisions
37780	Ligation and Division Of Short Saphenous Vein at Saphenopopliteal Junction (Separate Procedure)
37785	Ligation, Division, And/or Excision Of Varicose Vein Cluster(S) 1 Leg
38205, 38206	Stem Cell Harvesting
38230	Bone Marrow Harvesting
36511	Therapeutic Apheresis Of WBC 's
36512	Therapeutic Apheresis Of RBCs
38204	Unrelated Harvesting Of Cells
38205	Stem Cell Harvesting From Siblings
38207	Stem Cell Storage
41899	Gum Surgery Procedure
43770	Laparoscopy, Surgical, Gastric Restrictive Procedure
43771	Laparoscopy, Surgical, Revision Of Adjust Gastric Band
43772	Laparoscopy, Surgical, Removal Of Adjustable Gastric Band
43773	Laparoscopy, Surgical, Removal & Placement Of Adj Gastric Band
43774	Laparoscopy, Surgical, Removal Of Adjustable Gastric Band
43775	Lap Sleeve Gastrectomy
43842	Gastroplasty, Vertical Banded, For Morbid Obesity
43843	Gastroplasty, Other Than Vertical-Banded, For Morbid Obesity
43845	Gastroplasty
43846	Gastric Bypass For Obesity
43847	Gastric Restrictive Procedure With Gastric Bypass
43848	Revision Of Gastric Restrictive
43886	Gastric Restrictive Procedure



MCUP3041 - Attachment A MCUP3049 - Attachment A MCUG3007 - Attachment B Revised 11/08/2023

CPT Code	Description
43887	Gastric Restrictive Procedure, Removal Of Subcutaneous Port Component
43888	Gastric Restrictive Proc, Removal & Replacement Of Subcutaneous Port
43999	Stomach Surgery Procedure
48160	Pancreatectomy, total or subtotal, with autologous transplantation of pancreas or pancreatic islet cells transplantation of pancreas or pancreatic islet cells
49999	Abdomen Surgery Procedure
54161	Circumcision –TAR not required if patient < 4 months of age (See policy MCUP3121 Neonatal Circumcision)
54360	Penis Plastic Surgery
54400, 54406 - 54440	Penile Prosthesis / Plastic Procedure For Penis
55175/80	Revision Of Scrotum
55200	Incision Of Sperm Duct
56800	Repair Of Vagina
58150 Thru 58294, 58570	Hysterectomy
58350	Reopen Fallopian Tube
58550 Thru 58554	Laparoscopy, Surgical; With Vaginal Hysterectomy With Or Without Removal Of Tube(S), With Or Without Removal Of Ovary(S) (Laparoscopic Assisted Vaginal Hysterectomy)
58578/79	Unlisted Procedure, Uterus
58999	Unlisted procedure, female genital system
61867, 61868, 61880, 61888, 64999	Insertion, Revision Or Removal Of Cranial Neurostimulator
62290 thru 62291	Discography, Lumbar (62290) and Cervical/Thoracic (62291)
63650, 63655, 63662, 63664, 63685,	Insertion or Revision of Spinal Neurostimulator
66987	Extracapsular Cataract Removal W/ Insertion Of Intraocular Lens Prosth complex
66988	Extracapsular Cataract Removal W/ Insertion Of Intraocular Lens Prosth
67900 Thru 67924	Repair Brow, Ptosis, Blepharoptosis, Lid
67950 Thru-66	Revision Of Eyelid
67971-75	Reconstruction Of Eyelid
67999	Unlisted Eyelid Procedure
69300	Revise External Ear
69399	Outer Ear Surgery Procedure
72285	Cervical and Thoracic Discography
72295	Lumbar discography



MCUP3041 - Attachment A MCUP3049 - Attachment A MCUG3007 - Attachment B Revised 11/08/2023

27096 Injection procedure for sacroiliac joint, arthrography and/or anesthetic/steroid  62263 Percutaneous lysis of epidural adhesions using solution injection (e.g., hypertonic saline, enzyme) or mechanical means (e.g., catheter) including radiological localization (includes contrast when administered), multiple adhesiolysis sessions; 2 or more days  62264 Percutaneous lysis of epidural adhesions using solution injection (e.g., hypertonic saline, enzyme) or mechanical means (e.g., catheter) including radiological localization (includes contrast when administered), multiple adhesiolysis sessions; 1 day  62287 Aspiration or decompression procedure, percutaneous, of nucleus pulposus of intervertebral disk, any method, single or multiple levels, lumber (e.g. manual or automated percutaneous discectomy, percutaneous laser discectomy)  62290 thru 62291 Discography, Lumbar (62290) and Cervical/Thoracic (62291)  62360 thru 62362 Implantable or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir 63650, 63655,		Pain Management CPTs Requiring TAR		
Injection procedure for sacroliae joint, arthrography and/or anesthetic/steroid	CPT Code	Description		
Percutaneous lysis of epidural adhesions using solution injection (e.g., hypertonic saline, enzyme) or mechanical means (e.g., catheter) including radiological localization (includes contrast when administered), multiple adhesiolysis sessions; 2 or more days    Percutaneous lysis of epidural adhesions using solution injection (e.g., hypertonic saline, enzyme) or mechanical means (e.g., catheter) including radiological localization (includes contrast when administered), multiple adhesiolysis sessions; 1 day    Aspiration or decompression procedure, percutaneous, of nucleus pulposus of intervertebral disk, any method, single or multiple levels, lumber (e.g. manual or automated percutaneous discectomy, percutaneous laser discectomy)    Discography, Lumbar (62290) and Cervical/Thoracic (62291)   Discography, Lumbar (62290) and Cervical/Thoracic (62291)   Implantable or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir 63650, 63655, 63661   Insertion or revision of spinal neurostimulator	22510 thru 22515	Percutaneous vertebroplasty and percutaneous vertebral augmentation		
mechanical means (e.g., catheter) including radiological localization (includes contrast when administered), multiple adhesiolysis sessions; 2 or more days  Percutaneous lysis of epidural adhesions using solution injection (e.g., hypertonic saline, enzyme) or mechanical means (e.g., catheter) including radiological localization (includes contrast when administered), multiple adhesiolysis sessions; 1 day  Aspiration or decompression procedure, percutaneous, of nucleus pulposus of intervertebral disk, any method, single or multiple levels, lumber (e.g. manual or automated percutaneous discectomy, percutaneous laser discectomy)  Discography, Lumbar (62290) and Cervical/Thoracic (62291)  Implantable or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir  63650, 63655, 636656, 636656, 636658, 63688  G4479  Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with imaging guidance (fluoroscopy or CT); cervical or thoracic, single level  64480  Cervical or thoracic, each additional level  64481  Lumbar or sacral, single level  64490  Injection(s), diagnostic or therapeutic agent, Paravertebral facet (zygapophyseal) joint with image guidance (fluoroscopy or CT), cervical or thoracic; single level.  64491  Second level (List separately in addition to code for primary procedure)  64492  Third level (List separately in addition to code for primary procedure)  64493  Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  64634  Second level (List separately in addition to code for primary procedure)  64635  Destruction by neurolytic agent, paravertebral facet joint nerve, cervical or thoracic, single level  64636  Lumbar or sacral, each additional level  64636  Cervical and Thoracic Discography	27096	Injection procedure for sacroiliac joint, arthrography and/or anesthetic/steroid		
mechanical means (e.g., catheter) including radiological localization (includes contrast when administered), multiple adhesiolysis sessions; 1 day  Aspiration or decompression procedure, percutaneous, of nucleus pulposus of intervertebral disk, any method, single or multiple levels, lumber (e.g. manual or automated percutaneous discectomy, percutaneous laser discectomy)  Discography, Lumbar (62290) and Cervical/Thoracic (62291)  Implantable or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir  63650, 63655, 636654, Insertion or revision of spinal neurostimulator  Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with imaging guidance (fluoroscopy or CT); cervical or thoracic, single level  64480 Cervical or thoracic, each additional level  64481 Lumbar or sacral, each additional level  64490 Injection(s), diagnostic or therapeutic agent, Paravertebral facet (zygapophyseal) joint with image guidance (fluoroscopy or CT), cervical or thoracic; single level.  64491 Second level (List separately in addition to code for primary procedure)  64492 Third level (List separately in addition to code for primary procedure)  64493 Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  64494 Second level (List separately in addition to code for primary procedure)  64495 Third level (List separately in addition to code for primary procedure)  64496 Cervical or thoracic, each additional level  64631 Destruction by neurolytic agent, paravertebral facet joint nerve, cervical or thoracic, single level  64632 Destruction by neurolytic agent, paravertebral facet joint nerve, single level lumbar or sacral  64636 Lumbar or sacral, each additional level  64637 Cervical and Thoracic Discography	62263	mechanical means (e.g., catheter) including radiological localization (includes contrast when administered),		
method, single or multiple levels, lumber (e.g. manual or automated percutaneous discectomy, percutaneous laser discectomy)  Discography, Lumbar (62290) and Cervical/Thoracic (62291)  Discography, Lumbar (62290) and Cervical/Thoracic (62291)  Discography, Lumbar (62290) and Cervical/Thoracic (62291)  Implantable or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir 63655, 636655, 636655.  Gafethru 63664, Insertion or revision of spinal neurostimulator  Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with imaging guidance (fluoroscopy or CT); cervical or thoracic, single level  Cervical or thoracic, each additional level  Lumbar or sacral, single level  Lumbar or sacral, each additional level  Injection(s), diagnostic or therapeutic agent, Paravertebral facet (zygapophyseal) joint with image guidance (fluoroscopy or CT), cervical or thoracic; single level.  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Hipection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Hird level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Cervical or thoracic, each additional level  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve, single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	62264	mechanical means (e.g., catheter) including radiological localization (includes contrast when administered),		
injection(s), diagnostic or therapeutic agent, Paravertebral facet (zygapophyseal) joint with image guidance (fluoroscopy or CT), cervical or thoracic; single level.  Lumbar or sacral, each addition to code for primary procedure)  Lipiction(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT) third level (List separately in addition to code for primary procedure)  Lumbar or sacral third level (List separately in addition to code for primary procedure)  Lipiction(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; single level.  Second level (List separately in addition to code for primary procedure)  Lipiction(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Lipiction(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Lipiction(s), diagnostic or therapeutic agent, paravertebral facet joint nerve. cervical or thoracic, single level  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	62287	method, single or multiple levels, lumber (e.g. manual or automated percutaneous discectomy,		
Insertion or revision of spinal neurostimulator  63650, 63655, 63688  Insertion or revision of spinal neurostimulator  64479	62290 thru 62291	Discography, Lumbar (62290) and Cervical/Thoracic (62291)		
Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with imaging guidance (fluoroscopy or CT); cervical or thoracic, single level  Cervical or thoracic, each additional level  Lumbar or sacral, single level  Lumbar or sacral, each additional level  Injection(s), diagnostic or therapeutic agent, Paravertebral facet (zygapophyseal) joint with image guidance (fluoroscopy or CT), cervical or thoracic; single level.  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Addition to code for primary procedure)  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve. cervical or thoracic, single level  Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	62360 thru 62362	Implantable or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir		
CT); cervical or thoracic, single level  Cervical or thoracic, each additional level  Lumbar or sacral, single level  Lumbar or sacral, single level  Lumbar or sacral, each additional level  Injection(s), diagnostic or therapeutic agent, Paravertebral facet (zygapophyseal) joint with image guidance (fluoroscopy or CT), cervical or thoracic; single level.  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure  Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Cervical or thoracic, each additional level  Cervical or thoracic, each additional level  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	63661 thru 63664,	Insertion or revision of spinal neurostimulator		
Lumbar or sacral, single level  Lumbar or sacral, each additional level  Injection(s), diagnostic or therapeutic agent, Paravertebral facet (zygapophyseal) joint with image guidance (fluoroscopy or CT), cervical or thoracic; single level.  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure  Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Destruction by neurolytic agent, paravertebral facet joint nerve. cervical or thoracic, single level  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	64479			
Lumbar or sacral, each additional level  Injection(s), diagnostic or therapeutic agent, Paravertebral facet (zygapophyseal) joint with image guidance (fluoroscopy or CT), cervical or thoracic; single level.  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure  Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Destruction by neurolytic agent, paravertebral facet joint nerve, cervical or thoracic, single level  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve, single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	64480	Cervical or thoracic, each additional level		
Injection(s), diagnostic or therapeutic agent, Paravertebral facet (zygapophyseal) joint with image guidance (fluoroscopy or CT), cervical or thoracic; single level.  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure  Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Destruction by neurolytic agent, paravertebral facet joint nerve, cervical or thoracic, single level  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve, single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	64483	Lumbar or sacral, single level		
(fluoroscopy or CT), cervical or thoracic; single level.  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure  Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Destruction by neurolytic agent, paravertebral facet joint nerve. cervical or thoracic, single level  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	64484	Lumbar or sacral, each additional level		
Third level (List separately in addition to code for primary procedure  Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Destruction by neurolytic agent, paravertebral facet joint nerve. cervical or thoracic, single level  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	64490			
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  Second level (List separately in addition to code for primary procedure)  Third level (List separately in addition to code for primary procedure)  Destruction by neurolytic agent, paravertebral facet joint nerve. cervical or thoracic, single level  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	64491	Second level (List separately in addition to code for primary procedure)		
that joint) with image guidance (fluoroscopy or CT, lumbar or sacral; single level)  64494 Second level (List separately in addition to code for primary procedure)  64495 Third level (List separately in addition to code for primary procedure)  64633 Destruction by neurolytic agent, paravertebral facet joint nerve. cervical or thoracic, single level  64634 Cervical or thoracic, each additional level  64635 Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral  64636 Lumbar or sacral, each additional level  72285 Cervical and Thoracic Discography	64492	Third level (List separately in addition to code for primary procedure		
Third level (List separately in addition to code for primary procedure)  Destruction by neurolytic agent, paravertebral facet joint nerve. cervical or thoracic, single level  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	64493			
Destruction by neurolytic agent, paravertebral facet joint nerve. cervical or thoracic, single level  Cervical or thoracic, each additional level  Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	64494	Second level (List separately in addition to code for primary procedure)		
64634 Cervical or thoracic, each additional level 64635 Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral 64636 Lumbar or sacral, each additional level 72285 Cervical and Thoracic Discography	64495	Third level (List separately in addition to code for primary procedure)		
Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral  Lumbar or sacral, each additional level  Cervical and Thoracic Discography	64633	Destruction by neurolytic agent, paravertebral facet joint nerve. cervical or thoracic, single level		
64636 Lumbar or sacral, each additional level 72285 Cervical and Thoracic Discography	64634	Cervical or thoracic, each additional level		
72285 Cervical and Thoracic Discography	64635	Destruction by neurolytic agent, paravertebral facet joint nerve. single level lumbar or sacral		
	64636	Lumbar or sacral, each additional level		
72295 Lumbar discography	72285	Cervical and Thoracic Discography		
·	72295	Lumbar discography		