Facility Site Review Tool Supplemental Facility • Mobile Unit • Street Medicine

Review Date:						Heal	th Plan Name or 0	Code: _			IPA:	
Service area(s):						Site	ID:		Sit	e NPI: _	-	
Provider Address :						_ Revi	iewer name/title :					
City and Zip Code :						_ Revi	iewer name/title :					
Office Phone:	Fa	x:		Mobi	le Phone	e:	Fax:		Ema	ail:		
Mobile Unit contact perso	n/title:					Offic	ce contact person	/title:				
No. of staff on site:	Physici	an	NP	CNM	_	_. LM	PA	_RN	LVN	MA	Clerical _	other
Visit Purp	ose		Site-Spe	cific Cer	tificatior	1(s)	Prov	ider Ty	/pe		Supplemental Fa	cility Type
Initial Full Scope Periodic Full Scope Focused Other	Folio		AAA CHD CPS PCM Othe	P _ P _	JC NCQ None	QA e	Family Practice Pediatrics General Practic		_ Internal Medicine _ OB/GYN _ Specialist)			
	Site S	cores					Scoring	Proced	dure		Compliand	ce Rate
I. Access/Safety II. Personnel III. Office Management	Total Points Poss. 37 28	Points Given		N/As	CE*	1) 2) 3) - 4) 5)		en for a /A" crite ints fron	Il six sections. ria (if needed), by		Exempted Pass: 90' deficiencies in Critical E Pharmaceutical Service Conditional Pass: 8 above with deficiencies Pharmaceutical Service	Elements, es, or Infection Control) 60-89%, or 90% and in Critical Elements,
IV.Clinical Services	41						rate.			-	Fail: 79% and Belov	v
V. Preventive Services VI.Infection Control	13					<u>180</u>	= N/A	djusted	Points		CAP Required Other follow-up	
Totals	180						÷ = _ s Total / Decimal C Adjusted	omplia Score		% Ne	ext Site Review Due:	
*CE = Critical Elements. Indic	cate any CEs	for easy i	reference to	generate a	CAP.		Points					

03/12/2025 MCQP1022 - Attachment I Page 1 of 22

I. Access/Safety Criteria	Yes	No	N/A	Wt.	Site Score
A. Site is accessible and useable by individuals with physical disabilities. Title 24, California Code of Regulations (CCR) (CA Building Standards Code); Title 28 Code of Federal Regulations (CFR) §35 (American Disabilities Act of 1990, Title II, Title III) All facilities designed, altered, or constructed after January 26, 1992, for the use of public entity must be readily accessible and usable by persons with disabilities.					
Sites must have the following safety accommodations for physically disabled persons:					
Written plan and/or verbal description of plan of reasonable accommodations to provide services for persons with disabilities, if services cannot be provided in the Mobile Unit or in the field	1)	1)	1)	1	
OR					
2) Ramp with level landing at the top and bottom	2)	2)	2)	1	
3) A mechanical lift is available with safety features in place	3)	3)	3)	1	
4) Exit and exam room doorway openings allow for clear passage of a person in a wheelchair.	4)	4)	4)	1	
5) Clear floor space for wheelchair in waiting area and exam room	5)	5)	5)	1	
6) Wheelchair accessible restroom facilities or reasonable alternative.	6)	6)	6)	1	
7) Wheelchair accessible handwashing facilities or reasonable alternative.	7)	7)	7)	1	
8)Outdoor areas with appropriate protection from inclement weather and other external factors.	8)	8)	8)	1	

I. Access/Safety Criteria, continued	Yes	No	N/A	Wt.	Site Score
B.Site environment is maintained in a clean and sanitary condition. 28 CCR §1300.80; 22 CCR §75062					
8) All patient areas including floor/carpet, walls, and furniture are neat, clean, and well maintained.	1)	1)	1)	1	
9) Restrooms are clean and contain appropriate sanitary supplies	2)	2)	2)	1	
C.Site environment is safe for all patients, visitors, and personnel. 8 CCR §3220, §2299-2989; 22 CCR §53230; 24 CCR, §2, §3, §9; 28 CCR §1300.80; 29 CFR §1910.37, §1910.38, §1910.157, §1910.301, §1926.34; H & S Code section 1765.101-1765.175; H&S Code Division 2 CH 9 Section 1765.101-1765.175					
There is evidence staff has received safety training and/or has safety information available on the following:					
1) Fire safety and prevention.	1)	1)	1)	1	
2) Emergency non-medical procedures and general safety (e.g., site evacuation, workplace violence, field work safety, adverse event, de-escalation). (SM)	2)	2)	2)	1	
	3)	3)	3)	1	
 Lighting is adequate in all areas including inside and around the perimeter of the mobile unit and while in the field to ensure safety. 	4)	4)	4)	2	
4) Vehicle doors can be opened from the inside, are unobstructed and egress (escape) accessible.	5)	5)	5)	1	
5) Exit doors are clearly marked with "Exit" signs.	6)	6)	6)	1	
6) Clearly diagramed "Evacuation Routes" for emergencies are posted in a visible location.	7)	7)	7)	1	
7) Electrical cords and outlets are in good working condition, with efforts in place to minimize safety hazards.	8)	8)	8)	1	
8) Two (2) Fire Fighting Equipment meeting "mobile health care vehicle" requirements is available and is in accessible location	9)	9)	9)	1	
9) All equipment and supplies are stored securely for transport to minimize shifting while in route.	10)	10)	10)	1	
10)An employee alarm/alert system is in place to communicate during an emergency.					

I. Access/Safety Criteria, continued	Yes	No	N/A	Wt.	Site Score
D.Emergency health care services are available and accessible 24 hours a day, 7 days a week. 8 CCR §3220; 22 CCR §51056, §53216, §75031; 28 CCR §1300.67, §1300.80; American Academy of Family Practice (AAFP)					
1) Personnel are trained in procedures/action plan to be carried out in case of medical emergency on site. (SM)	1)	1)	1)	1	
2) Emergency equipment is stored together in easily accessible location and is ready to be used.	2)	2)	2)	1	
3) Emergency phone number contacts are posted, updated annually, and as changes occur. (SM)	3)	3)	3)	1	
Emergency medical equipment appropriate to practice/patient population is available on site:					
4) <u>Airway management: oxygen delivery system, nasal cannula or mask, bulb syringe and Ambu bag,</u> appropriate to care setting. (SM)	4)	4)	4)	2	
5) Emergency medicine and supplies for anaphylactic reaction management, opioid overdose, chest pain, asthma, hypoglycemia and other medical emergencies. Epinephrine 1mg/ml (injectable) and Diphenhydramine (Benadryl) 25 mg (oral) or Diphenhydramine (Benadryl) 50 mg/ml (injectable), Naloxone, chewable Aspirin 81 mg, Nitroglycerine spray/tablet, bronchodilator medication (solution for nebulizer or metered dose inhaler), glucose (any type of glucose containing at least 15 grams), quick clot/tourniquet. Appropriate sizes of ESIP needles/syringes and alcohol wipes. (SM)	5)	5)	5)	2	
Medication dosage chart for all medications included with emergency equipment (or other method for determining dosage) is kept with emergency medications. (SM)	6)	6)	6)	1	
There is a process in place on site to:	7)	7)	7)	1	
7) Document checking of emergency medication, equipment and supplies for expiration and operating status at least monthly.(SM)	()	''		'	
8) Replace/re-stock emergency medication, equipment and supplies immediately after use. (SM)	8)	8)	8)	1	
9) Unit is powered when delivering patient care.	9)	9)	9)	1	
10) Management of Mobile Unit:					
a) Unit is maintained/stored in a secure manner with access to authorized personnel only.	10a)	10a)	10a)	1	
b) The driver of the mobile unit available during office hours	10b)	10b)	10b)	1	
c) Resources available to manage mobile unit mechanical issues	10c)	10c)	10c)	1	

Comments: (Write comments for all "No" (0 points) and "N/A" scores.)
☐ RN/NP/CNM/LM/MD/PA only

I. Access/Safety Criteria, continued	Yes	No	N/A	Wt.	Site Score
E. Medical and lab equipment used for patient care is properly maintained. 28 CCR §1300.80; 21 CFR §800-1299; 22 CCR §75062; §53230 🛱 🗁					
1) Medical equipment is clean.	1)	1)	1)	1	
Written documentation demonstrates the appropriate maintenance of all medical equipment, including specialized vehicle equipment, according to equipment manufacturer's guidelines. (SM)	2)	2)	2)	1	
Comments: Write comments for all "No" (0 points) and "N/A" scores. TOTALS					

II. Personnel Criteria	Yes	No	N/A	Wt.	Site Score
A. Current California licenses and certifications CA Business & Professional Code (BPC) §2050, §2099.5, §2506, §2725, §2746, §2835, §3500, §4110; CCR, Title 16, §1355.4, §1399.547, CA Codes (hsc:1765.101-1765.175)					
All required Professional Licenses and Certifications, issued from the appropriate licensing/certification agency, are current. (SM)	1)	1)	1)	1	
Notification is provided to each member that the MD(s) is licensed and regulated by the Medical Board, and that the Physician Assistant(s) is licensed and regulated by the Physician Assistant Committee.	2)	2)	2)	1	
3) The mobile unit has current licensure (e.g. CDPH) and is posted/available in the unit	3)	3)	3)	1	
B.Health care personnel are properly identified. BPC §680					
1) Health care personnel wear identification badges/tags printed with name and title.(SM)	1)	1)	1)	1	
C.Site personnel are qualified and trained for assigned responsibilities. BPC §2069; 16 CCR §1366 - 1366.4 🛱 🗁					
Site Personnel are qualified, trained and operating within their scope and role. (SM) Documentation of education/training for non-licensed medical personnel is maintained on site.(SM)	1)	1)	1)	1	
2) Only qualified/trained personnel retrieve, prepare, or administer medications. (SM)	2)	2)	2)	2	
Site has a procedure in place for confirming correct patient/medication/vaccine dosage and route prior to administration. (SM)	3)	3)	3)	1	
4) Only qualified/trained personnel operate medical equipment.(SM)	4)	4)	4)	1	

Comments: (Write comments for all "No" (0 points) and "N/A" scores.)

II. Personnel Criteria, continued	Yes	No	N/A	Wt.	Site Score
D.Scope of practice for non-physician medical practitioners (NPMP) is clearly defined. 16 CCR §1379, §1399.540, §1399.545, §1474; BPC §2725, §2746.5, §2746.51, §2836.1 ∰ □					
1) Standardized Procedures provided for Nurse Practitioners (NP) and/or Certified Nurse Midwives (CNM). (SM)	1)	1)	1)	1	
2) A Practice Agreement defines the scope of services provided by Physician Assistants (PA) and Supervisory	2)	2)	2)	1	
Guidelines define the method of supervision by the Supervising Physician.(SM) 3) Standardized Procedures, Practice Agreements and Supervisory Guidelines are revised, updated <u>and</u> signed	3)	3)	3)	1	
by the supervising physician and NPMP when changes in scope of services occur.(SM)	4)	4)	4)	1	
4)Each NPMP that prescribes controlled substances has a valid Drug Enforcement Administration Registration Number.(SM)					
E.NPMPs are supervised according to established standards. BPC §3516(b); Welfare and Institutions Code (WIC) 14132.966; 16 CCR §1379; §1399.545 🛱 🗁					
The designated supervising physician(s) on site: 1) Ratio to number of NPMPs does not exceed established ratios in any combination.(SM) a) 1:4 NPs b) 1:4 CNMs c) 1:4 PAs	1)	1)	1)	1	
2) The designated supervising or back-up physician is available in person or by electronic communication at all times when a NPMP is caring for patients. (SM)	2)	2)	2)	1	
3) Evidence of NPMP supervision. (SM)	3)	3)	3)	1	

Comments: (Write comments for all "No" (0 points) and "N/A" scores.)

03/12/2025 MCQP1022 - Attachment I Page 7 of 22

♠ Property Complex Comple

II. Personnel Criteria, continued	Yes	No	N/A	Wt.	Site Score
F. Site personnel receive safety training annually 8 CCR §5193; CA Health and Safety Code (HSC) §117600; CA Penal Code §11164, §11168; 29 CFR §1910.1030, 8 CCR §3342 ∰					
There is evidence that site staff has received annual training on the following, 1) Infection Control/Universal Precautions (annually) (SM)	1)	1)	1)	1	
2) Blood Borne Pathogens Exposure Prevention (annually) (SM)	2)	2)	2)	1	
3) Biohazardous Waste Handling (annually) (SM)	3)	3)	3)	1	
G.Site personnel receive training on member rights. 22 CCR §51009, §51305.1, §53452, §53858; 28 CCR §1300.68; 42 CFR §438.206 (6); 42 CFR §438.224; 42 CFR §438.10 (g); HSC 124260, 1374.16; CA Penal Code §11164, §1166.5, §11168, Family Code 6920, 6924, 6930; National Youth law					
There is evidence that site staff has received training on the following					
1) Patient confidentiality(SM)	1)	1)	1)	1	
2) Informed Consent, including human sterilization	2)	2)	2)	1	
3) Prior Authorization requests(SM)	3)	3)	3)	1	
4) Grievance/Complaint Procedure(SM)	4)	4)	4)	1	
5) Child/Elder/Domestic Violence Abuse(SM)	5)	5)	5)	1	
6) Sensitive Services/Minors' Rights(SM)	6)	6)	6)	1	
7) Health Plan referral process/procedures/resources(SM)	7)	7)	7)	1	
8) Cultural and linguistics(SM)	8)	8)	8)	1	
9) Disability Rights and Provider Obligations(SM)	9)	9)	9)	1	
Comments: Write comments for all "No" (0 points) and "N/A" scores. TOTALS					

03/12/2025 MCQP1022 - Attachment I Page 8 of 22

III. Office Management Criteria	Yes	No	N/A	Wt.	Site Score
A. Physician coverage is available 24 hours a day, 7 days a week. 22 CCR §56500, §53855					
The following are maintained current on site:					
1) Mobile Unit hours and travel schedule are readily available upon request.	1)	1)	1)	1	
2) Provider office hour schedules are available to staff.	2)	2)	2)	1	
3) Arrangement/schedule for after-hours, on-call, supervisory back-up physician coverage is available to site staff.	3)	3)	3)	1	
4) Contact information for off-site physician(s) is available at all times during office hours. (SM)	4)	4)	4)	1	
5) Routine, urgent and after-hours emergency care instructions/telephone information is made available to patients, and may include providing contact information (business card) for future calls, posting contact information in a common area, provide a cell phone for communication needs. (SM)	5)	5)	5)	1	
B.There are sufficient health care personnel to provide timely, appropriate health care services. 22 CCR §53855; 28 CCR §1300.67.1, §1300.80; HSC 1765.101 ∰					
Appropriate personnel handle emergent, urgent, and medical advice telephone calls and in-person	1)	1)	1)	1	
communications.	2)	2)	2)	1	
2) The mobile unit has a telecommunication device and internet servies.	3)	3)	3)	1	
3) Telephone answering machine, voice mail system, or answering service is used whenever office staff does not directly answer phone calls.					
4) Telephone system, answering service, recorded telephone information, and recording device are periodically checked and updated.	4)	4)	4)	1	

03/12/2025 MCQP1022 - Attachment I Page 9 of 22

III. Office Management Criteria, continued	Yes	No	N/A	Wt.	Site Score
C. Health care services are readily available. 22 CCR §56000(2); 28 CCR §1300.67.2.2 ∰					
Appointments are scheduled according to patients stated clinical needs (triage process in place) within the timeliness standards established for Plan members and population served . (SM)	1)	1)	1)	1	
2) Patients are notified of scheduled routine and/or preventive screening appointments.	2)	2)	2)	1	
3) There is a process in place verifying follow-up on missed and canceled appointments.	3)	3)	3)	1	
D.There is 24-hour access to interpreter services for non- or limited-English proficient (LEP) members. 22 CCR §53851; 28 CCR 1300.67.04					
Interpreter services (including the availability of remote devices) are made available in identified threshold languages specified for location of Mobile Unit, location of site and population served (SM)	1)	1)	1)	1	
2)Persons providing language interpreter services, including sign language on site, are trained in medical interpretation.	2)	2)	2)	1	
E. Procedures for timely referral/consultative services are established on site. 22 CCR §53851; 28 CCR §1300.67, §1300.80 🏚 🗁					
Office practice procedures allow timely provision and tracking of:					
1) Processing internal and external referrals, consultant reports, and diagnostic test results. Procedures for	1)	1)	1)	1	
timely referral/ consultative services are established on site: procedures allow timely provision, tracking processing internal and external referrals, consultant reports, and diagnostic test results (SM)	2)	2)	2)	2	
2) Physician Review and follow-up of referral/consultation reports and diagnostic test results.					
F. Member Grievance/Complaint processes are established on site. 22 CCR §53858, §56260					
1) Phone number(s) for filing grievances/complaints are located on site. (SM)	1)	1)	1)	1	
2) Complaint forms and a copy of the grievance procedure are available on site.	2)	2)	2)	1	

Comments: (Write comments for all "No" (0 points) and "N/A" scores.)

03/12/2025 MCQP1022 - Attachment I Page 10 of 22

III. Office Management Criteria, continued	Yes	No	N/A	Wt.	Site Score
G. Medical records are available for the practitioner at each scheduled patient encounter. 1 CR §75055; 28 CCR §1300.80; HSC 1765.160(h)(1-3)					
Medical records are readily retrievable for scheduled patient encounters, with an adequate back-up plan in place in the event EHR access is not available. (SM)	1)	1)	1)	1	
2) Medical documents are filed in a timely manner to ensure availability for patient encounters.	2)	2)	2)	1	
3) Mobile unit services log is maintained: Patient chart number/or identification number, name, age, sex, site, date, time, and as appropriate, duration of visit	3)	3)	3)	1	
H.Confidentiality of personal medical information is protected according to State and federal guidelines.					
1) Exam and dressing areas safeguard patients' right to privacy.	1)	1)	1)	1	
1) 2) Procedures are followed to maintain the confidentiality of personal patient information. Confidentiality	2)	2)	2)	1	
of personal medical information is protected according to State and federal guidelines. (SM)	3)	3)	3)	1	
3) Medical record release procedures are compliant with State and federal guidelines.	4)	4)	4)	1	
Storage and transmittal of medical records preserves confidentiality and security, to include secure transport measures when appropriate.	5)	5)	5)	1	
5) Medical records are retained for a minimum of 10 years.					
Comments: Write comments for all "No" (0 points) and "N/A" scores. TOTALS					

IV. Clinical Services: Pharmaceutical Services Criteria	Yes	No	N/A	Wt.	Site Score
A. Drugs and medication supplies are maintained secure to prevent unauthorized access. BPC §4172; 22 CCR §75032, §75033, §75037(a-g), §75039; 21 CFR §1301.72, §1301.75, §1301.76, §1302; 16 CCR §1356.3; HSC §11053-11058					
Drugs are stored in specifically designated cupboards, cabinets, closets or drawers, following drug storage and temperature recommendations.	1)	1)	1)	1	
Prescription drug samples, and over-the-counter drugs, hypodermic needles/syringes, all medical sharp instruments, hazardous substances, and prescription pads are securely stored in a lockable space (cabinet or	2)	2)	2)	1	
room) in the mobile unit, separate storage areas (office building, storage space, etc.) and transport mechanisms if applicable. (SM)	3)	3)	3)	1	
3) Controlled drugs are stored in a locked space in the mobile unit and separate storage areas and are accessible only to authorized personnel. (SM)	4)	4)	4)	1	
4) A dose-by-dose controlled substance distribution log is maintained. (SM)	5)	5)	5)	1	
5) Written site-specific policy/procedure for dispensing of sample drugs are available on site.					

IV. Clinical Services:	Yes	No	N/A	Wt.	Site
Pharmaceutical Services Criteria, continued	162	NO	IN/A	VVI.	Score
B.Drugs are handled safely and stored appropriately. 22 CCR §75037(a-g), §75039; 21 CFR §211.137; 21 USC §351; HSC §117600-118360; 40 CFR, part 261; Current CDC Recommendations					
1) Drugs are prepared in a clean area or "designated clean" area if prepared in a multi-purpose area. Drugs are handled safely and stored appropriately. (SM)	1)	1)	1)	1	
1)	2)	2)	2)	1	
 Drugs for external use are stored separately from drugs for internal use in <u>both the mobile unit and/or separate storage area if applicable</u>. Drugs are handled safely and stored appropriately. (SM) 2) 	3)	3)	3)	1	
3) Items other than medications in refrigerator/freezer are kept in a secured, separate compartment from drugs.	4)	4)	4)	1	
4) Refrigerator thermometer temperature is 36°-46° Fahrenheit or 2°-8° Centigrade, for units in the mobile unit or transport system and separate storage area(s), if applicable (at time of site visit). (SM)	5)	5)	5)	1	
5) Freezer thermometer temperature is 5° Fahrenheit or –15° Centigrade, or lower, for units in <u>the mobile unit</u> or transport system and separate storage area(s), if applicable (at time of site visit). (SM)	6)	6)	6)	1	
6) Site utilizes drugs/vaccine storage units that are able to maintain required temperature in the mobile unit or transport system and separate storage area(s), if applicable. (SM)	7)	7)	7)	1	
7) Daily temperature readings of drugs/vaccines refrigerator and freezer are documented. (SM)	8)	8)	8)	1	
8) Has a written plan for vaccine <u>storage after hours</u> and <u>protection in case of power outage or malfunction</u> of the refrigerator or freezer <u>both the mobile unit and/or separate storage area if applicable</u> .	9)	9)	9)	1	
9) Drugs and vaccines are stored separately from test reagents, germicides, disinfectants, and other household substances in both the mobile unit and/or separate storage area if applicable.	10)	10)	10)	1	
10) Hazardous substances are appropriately labeled. (SM)	11)	11)	11)	1	
11) Site has method(s) in place for drug and hazardous substance disposal. (SM)					

Comments: (Write comments for all "No" (0 points) and "N/A" scores.)

03/12/2025 MCQP1022 - Attachment I Page 13 of 22

IV. Clinical Services: Pharmaceutical Services Criteria, continued	Yes	No	N/A	Wt.	Site Score
C.Drugs are dispensed according to State and federal drug distribution laws and regulations. BPC §4024, §4076, §4170, §4171, §4173, §4174; 22 CCR §75032, §75033, §75036, §75037(a-g), §75038, §75039; 16 CCR §1718.1; 21 CFR §211.137; 42 USC 6A §300AA-26; CDC Recommendations; DHCS Contract; All Plan Letter 18-004; BPC §4000 et seq (Pharmacy Law); §4170; HSC §11000-11651 (Uniform Controlled Substances Act)					
1) There are no expired drugs on site. (SM)	1)	1)	1)	1	
2) Site has a procedure to check expiration date of all drugs (including vaccines and samples), and infant and therapeutic formulas. (SM)	2)	2)	2)	1	
3) All stored and dispensed prescription drugs are appropriately labeled.	3)	3)	3)	1	
3) Only lawfully authorized persons dispense drugs to patients. Drugs are dispensed according to State and	4)	4)	4)	2	
federal drug distribution laws and regulations. 4) (SM)	5)	5)	5)	2	
5) Drugs and Vaccines are prepared and drawn only prior to administration. (SM)	6)	6)	6)	1	
6) Current Vaccine Information Sheets (VIS) for distribution to patients are present on site.	7)	7)	7)	1	
7) If there is a pharmacy on site, it is licensed by the CA State Board of Pharmacy.	8)	8)	8)	1	
8) Site utilizes California Immunization Registry (CAIR) or the most current version. (SM)					

Comments: (Write comments for all "No" (0 points) and "N/A" scores.)

03/12/2025 MCQP1022 - Attachment I Page 14 of 22

IV. Clinical Services: Laboratory Services Criteria	Yes	No	N/A	Wt.	Site Score
D.Site is compliant with Clinical Laboratory Improvement Amendment (CLIA) regulations. 22 CCR §51211.2, §51137.2; BPC §1200-1214, §1229, §1220; 42 USC 263a; Public Law 100-578; www.cms.gov; www.fda.gov					
1) Laboratory test procedures are performed according to current site-specific CLIA certificate. (SM)	1)	1)	1)	1	
2) Testing personnel performing clinical lab procedures have been trained.	2)	2)	2)	1	
3) Lab supplies (e.g. vacutainers, vacutainer tubes, culture swabs, test solutions) are inaccessible to unauthorized persons in <u>both the mobile unit and separate storage area</u> .	3)	3)	3)	1	
4) Lab test supplies are not expired.	4)	4)	4)	1	
5) Site has a procedure to check expiration date and a method to dispose of expired lab test supplies. (SM)	5)	5)	5)	1	
6) Site has a procedure to transport and/or arrange for pickup of collected lab samples.	6)	6)	7)	1	

IV. Clinical Services: Radiology Services Criteria	Yes	No	N/A	Wt.	Site Score
E. Site meets CDPH Radiological inspection and safety regulations. 17 CCR §30110, §30111, §30255, §30305, §30404, §30405; https://www.cdph.ca.gov/rhb or (916) 327-5106					
Site has current CA Radiologic Health Branch Inspection Report and Proof of Registration if there is radiological equipment on site.	1)	1)	1)	1	
The following documents are <u>posted</u> on site: 2) Current copy of Title 17 with a posted notice about availability of Title 17 and its location.	2)	2)	2)	1	
3) "Radiation Safety Operating Procedures" posted in highly visible location.	3)	3)	3)	1	
4) "Notice to Employees Poster" posted in highly visible location.	4)	4)	4)	1	
5) "Caution, X-ray" sign posted on or next to door of each room that has X-ray equipment.	5)	5)	5)	1	
6) Physician Supervisor/Operator certificate posted and within current expiration date.	6)	6)	6)	1	
7) Technologist certificate posted <i>and</i> within current expiration date.	7)	7)	7)	1	
The following radiological protective equipment is present on site: 8) Operator protection devices: radiological equipment operator must use lead apron or lead shield.	8)	8)	8)	1	
9) Gonadal shield (0.5 mm or greater lead equivalent): for patient procedures in which gonads are in direct beam.	9)	9)	9)	1	
Comments: Write comments for all "No" (0 points) and "N/A" scores. TOTALS					

03/12/2025 MCQP1022 - Attachment I Page 16 of 22

V. Preventive Services	Yes	No	N/A	Wt.	Site Score
A. Preventive health care services and health appraisal examinations are provided on a periodic basis for the detection of asymptomatic diseases. 22 CCR §53851; 28 CCR §1300.67					
Preventive services and examination equipment, appropriate for primary care services and population served, is available : (SM) left it high level		4)	4)	4	
1) Exam tables and lights are in good repair.	1)	1)	1)	1	
2) Stethoscope and sphygmomanometer with various size cuffs (e.g. child, adult, obese/thigh).	2)	2)	2)	1	
3) Thermometer with a numeric reading.	3)	3)	3)	1	
	4)	4)	4)	1	
4) Basic exam equipment: percussion hammer, tongue blades, patient gowns.	5)	5)	5)	1	
5) Scales: standing balance beam and infant scales.	6)	6)	6)	1	
6) Measuring devices for stature (height/length) measurement and head circumference measurement.	,	'	,	<u>'</u>	
7) Eye charts (literate and illiterate) and occluder for vision testing.	7)	7)	7)	1	
8) Ophthalmoscope.	8)	8)	8)	1	
	9)	9)	9)	1	
9) Otoscope with multi-size ear speculums appropriate to the population served.	10)	10)	10)	1	
10) A pure tone, air conduction audiometer is located in a quiet location for testing.	ĺ [′]		ĺ		
11) Portable seating and exam tables are available as appropriate to the care setting.					

V. Preventive Services: Health Education Criteria	Yes	No	N/A	Wt.	Site Score
B.Health education services are available to Plan members. 22 CCR §53851; 28 CCR 1300.67					
Health education materials and Plan-specific resource information are: (SM)- left it high level 1) Readily accessible on site or are made available upon request, via handouts, verbal instruction or electronic access via website links or QR codes.	1)	1)	1)	1	
2) Applicable to the practice and population served on site.	2) 3)	3)	2) 3)	1	
3) Available in threshold languages identified for county and/or area of site location.	0)	0)	O)	'	
Comments: Write comments for all "No" (0 points) and "N/A" scores. TOTALS					

VI. Infection Control Criteria	Yes	No	N/A	Wt.	Site Score
A.Infection control procedures for Standard/Universal precautions are followed. 8 CCR §5193; 22 CCR §53230; 29 CFR §1910.1030; Federal Register 1989, §54:23042 🛱 🗁					
1) Soap or antiseptic hand cleaner and running water are available in exam and/or treatment areas for hand washing.	1)	1)	1)	1	
2) A waste disposal container is available in exam/treatment areas and restrooms.	2)	2)	2)	1	
3) Site has procedure for effectively isolating infectious patients with potential communicable conditions, according to care setting, and may include self-isolation, education, the availability, use and disposal of staff/member PPE, and an appropriate cleaning process	3)	3)	3)	1	

VI. Infection Control Criteria	Yes	No	N/A	Wt.	Site Score
B.Site is compliant with OSHA Bloodborne Pathogens Standard and Waste Management Act. (SM) 8 CCR §5193 (Cal OSHA Health Care Worker Needlestick Prevention Act, 1999); HSC, §117600-118360 (CA Medical Waste Management Act, 1997, updated January 2017); 29 CFR §1910.1030; 49 CCR §173.6; 49 CFR, Section 173.6; CDC Core Infection Prevention and Control Practices -Centers for Disease Control and Prevention (CDC) The Healthcare Infection Control Advisory Committee (HICPAC), 2016; 2007 Guidelines for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare settings.					
1) Personal Protective Equipment (PPE) for Standard Precautions is readily available for staff use. (SM)	1)	1)	1)	2	
2) Blood, other potentially infectious materials, and Regulated Wastes are placed in appropriate leak proof, labeled containers for collection, handling, processing, storage, transport or shipping, according to care setting (i.e. mobile unit, direct care in encampment)(SM)	2)	2)	2)	2	
3) Needlestick safety precautions are practiced on site, including proper management/security of sharps	3)	3)	3)	2	
and storage/collection containers while in use according to care setting (i.e. mobile unit, direct care in encamp. (SM)	4)	4)	4)	1	
4) All sharp injury incidents are documented. (SM)	5)	5)	5)	1	
5) Biohazardous (non-sharp) wastes are contained separate from other trash/waste in <u>both the mobile unit and</u> <u>separate storage area</u> . (SM)	6)	6)	6)	1	
6) Storage areas for regulated medical wastes are maintained secure and inaccessible to unauthorized persons both on the mobile unit and designated separate storage area, according to care setting (i.e. mobile unit,	7)	7)	7)	1	
direct care in encampment) (SM)	8)	8)	8)	1	
7) Contaminated laundry is laundered at the workplace or by a commercial laundry service.					
8) Transportation of regulated medical wastes is only by a registered hazardous waste hauler or to a central location of accumulation in limited quantities (up to 35.2 pounds). (SM)					

VI. Infection Control Criteria, continued	Yes	No	N/A	Wt.	Site Score
C.Contaminated surfaces are decontaminated according to Cal-OSHA Standards. 8 CCR §5193; HSC §118275 ∰					
Equipment and work surfaces are appropriately cleaned and decontaminated after contact with blood or other potentially infectious material. (SM)	1)	1)	1)	1	
Routine cleaning and decontamination of equipment/work surfaces is completed according to site-specific written schedule. (SM)	2)	2)	2)	1	
Disinfectant solutions used on site are: Disinfectant solutions used on site are approved by the Environmental Protection Agency (EPA), effective in killing HIV/HBV/TB, and follow manufacturer instructions (SM).	3)	3)	3)	1	
instructions (SM)	4)	4)	4)	1	
3) Approved by the Environmental Protection Agency (EPA).	5)	5)	5)	1	
4) Effective in killing HIV/HBV/TB.		,			
5) Follow manufacturer instructions.					

VI. Infection Control Criteria, continued	Yes	No	N/A	Wt.	Site Score
D.Reusable medical instruments are properly sterilized after each use. (SM) 22 CCR §53230, §53856; CDC guideline for disinfection and sterilization; Food and Drug Administration: Reprocessing medical equipment in health care setting. Process to ensure sterility and/or high-level disinfection of equipment. (SM) For reusable medical instruments that are processed at a designated medical facility/location 1) Written site-specific policy/procedures or manufacturer's instructions for instrument/equipment sterilization are available to staff.	1)	1)	1)	1	
Staff adheres to site-specific policy and/or manufacturer/product label directions for the following procedures: 2) Cleaning reusable instruments/equipment prior to sterilization.	2)	2)	2)	1	
Cold chemical sterilization/high level disinfection: <u>a) Staff demonstrate/verbalize necessary steps/process to ensure sterility and/or high-level disinfection of equipment.</u>	3a)	3a)	3a)	2	
b) Confirmation from manufacturer item(s) is/are heat sensitive.	3b)	3b)	3b)	1	
c) Appropriate PPE is available, exposure control plan, Material Safety Data Sheets and clean up instructions in the event of a cold chemical sterilant spill.	3c)	3c)	3c)	2	
4) Autoclave/steam sterilization. a) Staff demonstrate/verbalize necessary steps/process to ensure sterility.	4a)	4a)	4a)	1	
b) Autoclave maintenance per manufacturer's guidelines.	4b)	4b)	4b)	1	
c) Spore testing of autoclave/steam sterilizer with documented results (at least monthly).	4c)	4c)	4c)	2	
d) Management of positive mechanical, chemical, and biological indicators of the sterilization process.	4d)	4d)	4d)	2	
e) Sterilized packages are labeled with sterilization date and load identification information.	4e)	4e)	4e)	1	
f) Storage of sterilized packages in both the mobile unit and separate storage area.	4f)	4f)	4f)	1	
Comments: Write comments for all "No" (0 points) and "N/A" scores. TOTALS					

03/12/2025 MCQP1022 - Attachment I Page 22 of 22