

Sleep Study Request Form

Adult and Pediatric

Sleep Study requests are to be submitted only by PHP's participating physician providers.

PATIENT	DOB	PHP#
DATE OF SERVICE	DIAGNOSIS CODE	
ORDERING DOCTOR	HOSPITAL/FACILITY	
NPI	NPI	
Phone# Fax#	Phone#	Fax#
PRIOR AUTHORIZATION IS REQUIRED FOR IN-LAB (ATTENDED) PSG		
Standard PSG - 95810 Split Night – 95811 CPAP/BIPAP Re-titration – 95811		
NO PRIOR AUTHORIZATION IS REQUIRED FOR HOME SLEEP STUDY.		
Patients whose history and sleepiness screening test are consistent with sleep apnea should have a PSG. Because it is significantly less expensive, a home (unattended) PSG is required by PHP, unless the patient has certain conditions requiring an in-lab (attended) PSG. A split night sleep study will be covered if the member has any of the following conditions: Significant neurologic injury, stroke or neuromuscular disease History of Congestive Heart Failure Documented Ischemic Heart Disease Chronic Obstructive Pulmonary Disease Less than 18 years of age Obesity, with a BMI of 44 or greater. If present, indicate actual weight and height Patients who are chronically taking high potency narcotics, such as OxyContin, oral morphine, Kadian, Opana and other drugs in the same category. This does not include codeine or hydrocodone If patient is taking one of these drugs, please list the drug(s) the patient is taking: Failed reasonable attempts at performing a Home PSG. Date attempted: Why it failed: Patients who have failed treatment with CPAP, who were previously diagnosed with by use of a home (unattended) PSG only. Please list problems or symptoms indicating failure of trial with CPAP:		
Evidence of Periodic Limb Movement Disorder or Restless Leg Syndrome. In order to be covered, all in-lab PSGs will be ordered as split night studies. If a split night study is not completed, the		
following information must be provided to PHP:		
 Confirmation that the initial portion of the sleep study was normal and a CPAP was not required; OR 		
2. Documentation that substantiates a medical reason why the split night study could not be completed.		
If the patient was diagnosed using an in-home PSG, or a full night in-lab PSG (in which no titration was performed), the CPAP titration must be performed using an auto-titrating CPAP, in the member's home. A second, in-lab PSG for titration of the CPAP will not be covered unless the patient has failed at a multi-day attempt to titrate the CPAP at home using an auto-titrating CPAP.		

PLEASE FAX COMPLETED FORM AND SUPPORTING DOCUMENTS TO Valenz Health (260) 918-8219.